Agreed List of Pharmacotherapies For Use Within the Sunderland NHS Stop Smoking Service (Universal and Specialist)

All Nicotine Replacement Therapy product prices are set as of April 2024 in accordance to NHS Dictionary of Medicines and Devices. Prices are updated on a weekly basis and will automatically reflect the Council's commission IT System (currently "PharmOutcomes").

Preparation	Strength		Maximum Dose	Daily	Instructions	Comments	Price
Patches	10mg/16 15mg/16 25mg/16		1 patch a regardless strength	•	Apply on waking to dry, non- hairy skin on hip, chest or upper arm, and remove 16	Suitable for smokers with regular smoking pattern and low level of	Brand: Nicorette Invisi
			3		hours later, usually before bedtime.	behavioural dependence.	Prices are for 7 patches
					Rotate sites.	Patches give a constant release of nicotine. Not suitable for occasional smokers.	10mg/16 hours - £11.43 25mg/16 hours - £11.43
Patches		14mg/24 21mg/24	1 patch a regardless strength	•	Apply in the morning to dry, non-hairy skin on hip, chest or upper arm, and remove and replace 24 hours later.	Recommended for those who smoke within 30 minutes of waking or smoke at night.	Brand: NiQuitin £11.48 for 7 patches
					Rotate sites.	Patches give a constant release of nicotine. Not suitable for occasional smokers.	
						Patients reporting side effects of sleep disturbances should be offered the 16 hour patch instead.	

Sublingual			ts in 24	Tablet should be placed under	<u>-</u>	Brand: Nicorette
tablets		hours		the tongue and allowed to	to 3 months before	Microtabs
(Microtabs)				slowly dissolve.	reducing the dose.	£19.00 for 100 tablets
				It should be moved around	It is discreet and flexible	
				under the tongue to prevent	and provides good dose	
				irritation.	control.	
				For people smoking ≤ 20		
				cigarettes daily, 2mg every		
				hour. Can be increased to		
				4mg every hour in people who		
				fail to stop smoking or have		
				significant withdrawal		
				symptoms.		
				For people smoking ≥ 20		
				cigarettes daily, 4mg every		
				hour.		
Lozenges	2mg 4mg	15 l	ozenges	Put lozenge in mouth and	Lozenges last 10-30	Brand: NiQuitin
		daily		allow to slowly dissolve.	minutes depending on	£7.40 for 72 1.5mg,
					size.	2mg 4mg
				Periodically move it from one		
				side of the mouth to the other.	Continue treatment for 6-	
					12 weeks before	
				Lozenge should not be	attempting dose reduction.	
				chewed or swallowed whole.		
					Users should not eat or	
					drink while the lozenge is	
					in the mouth.	

Mini- Lozenges	2mg, 4mg	15 lozenges daily	Put lozenge in mouth and allow to slowly dissolve. Periodically move it from one side of the mouth to the other. Lozenge should not be chewed or swallowed whole.	Lozenges last 10-30 minutes depending on size. Continue treatment for 6-12 weeks before attempting dose reduction. Suitable for smokers who smoker 20 cigarettes or less per day.	Brand: NiQuitin Minis £12.56 for 60 4mg
	2mg 4mg		Chew one piece when the	Users should not eat or drink while the lozenge is in the mouth. Allows good control of	Brand: Nicotinell
medicated gum		, and the second	urge to smoke occurs. Chew until a peppery/ tingling feeling occurs, flatten and park between the gum and the cheek. Chew and park several times per piece. Nicotine is released	health wards.	£10.93 for 96 2mg pieces £13.57 for 96 4mg pieces
Nicotine nasal spray	0.5mg/ spray	64 sprays daily	over 30 minutes of slow intermittent chewing - to release taste. Tilt head and use one squirt in each nostril when the urge to smoke occurs, up to twice an		Brand: Nicorette £21.00 for 1x10ml spray

			İ	S	Recommended for those who smoke ≥ 20 cigarettes a day.	
Nicotine inhalator	15mg	6 ca			absorbed is the same	Brand: Nicorette £35.64 for 36 pack £22.60 for 20 pack